

ORP PROBES

ORP PROBES_ SRH-1-AU-S 6



Features:

- Low maintenance sealed unit
- Gel filled reference cell
- BNC connection with boot plastic cover
- Cable length 6m
- Golden Electrode
- Pellon diaphragm accuracy

Field Application:

- General laboratory
- drinking water
- swimming pools with salt water
- water monitoring and control plan

Features:

- Range: ± 2000 mV,
- Temperature: 0..60 °C,
- Pressure: 6 Bar
- Yellow plastic Body
- Measure electrode gold body
- Reference measure electrode Ag/Ag Cl
- **Single junction** with KCL Gel and **Pellon diaphragm**.
- **YELLOW** cup with **6 meter cable** size 3mm, BNC plug included with yellow Boot cup.
- Batch production with 4 number to indicate Week and Year production.
- Single Package with neutral carton box.
- Neutral Label.

TECHNICAL CHARACTERISTICS

Range:	± 2000 mV
Temp. Range:	0 - 60° C
Pressure Range:	0- 6 bar
Body material:	Epoxy
Electrode material:	Gold
Diaphragm type:	Pellon
Mechanical Mounting:	Standard $\varnothing 12$
Electrical Connection:	6 m cable + BNC
Reference:	GEL
Offset	± 12 mV
Storage temperature	+2 +50 °C (do not freeze)

DIMENSIONS

