



Materiale testata Liquid end material	Diametro membrana Diaphragm diameter	A[mm]	B[mm]	C (BSP)	T[mm]	Three phase motor				Single phase motor			
						Motore 4P Motor 4P [kW]	Gr. motore Motor Size	D [mm]	E [mm]	Motore 4P Motor 4P [kW]	Gr. motore Motor Size	D [mm]	E [mm]
AISI 316 (21)	65	192	144	1/4" f	98	0.18	63 B14	333	240	0.25	71 B14	371	343
	94	172	146	3/8" f	118	0.18	71 B14	371	250	0.25	71 B14	371	346
	108	213	148	3/8" f	138	0.18	71 B14	371	265	0.25	80 B14	396	379
	138	261	158	3/4" f - 1" f	168	0.37	71 B14	371	265	0.55	80 B14	396	394
	165	297	165	1" f	188	0.37	71 B14	371	265	0.55	80 B14	396	414
PP (51) PVC (31) PVDF (41)	65	239	149	1/4" f	98	0.18	63 B14	333	240	0.25	71 B14	371	348
	94	242	144	3/8" f	124	0.18	71 B14	371	250	0.25	71 B14	371	351
	108	250	147	3/8" f	142	0.18	71 B14	371	265	0.25	80 B14	396	385
	138	347	159	3/4" f - 1" f	166	0.37	71 B14	371	265	0.55	80 B14	396	406
PP (51)	165	375	172	1" f	195	0.37	71 B14	371	265	0.55	80 B14	396	416
PVC (31), PVDF (41)	165	375	172	1" f	195	0.37	71 B14	371	265	0.55	80 B14	396	414

